المواصفات الفنية الخاصة بالمناقصة رقم العامة: (2014/37) الخاصة بشراء وتوريد عدد (3.500.000) كرت خدش

لخدمة الانترنت ADSL مختلفة الفئات.

المؤسسة العامة للاتصالات السلكية واللاسلكية الإدارة العامة للمشتريات والمخازن إدارة المشتريات – قسم العقود والمناقصات

ADSL scratch card specification

Card Size & Dimension

86mm×54mm

Rounded corner

ISO Standard 7810

Card Thickness:-

350 Microns

Card Materiel:-

Plastic

Card Design :-

- Vicat 88+10% allow more resistance for heat separated (**** **** ***********)
- PS varnish both side with black layer to protect the card from any fraud.
- 4 color (according to public Telecommunication Corp. requirement)
- Several Designs (according to public Tele4communication Corp. requirement)

Scratch area

- -Consist 16 digit
- -Size:- 6mm * 40mm

PIN Font:

- -Type: courier new bold.
- -Size: 12.
- -Color: Black.

SN area:

Consist 16 digit.

Size: 4mm *34mm

SN font:

-Type: courier new bold.

-Size: 10

-Color: black

Nylon pack:

- -Polypropylene-30 microns.
- -Not hazard to human hygienic.

J. Sel



Security:-

- -High quality scratches off-hot stamp material used .
- -The scratch material once used and scratched will totally damage and impossible to returned back.
- -The PIN numbers are fully 100% hidden by scratch material.
- -High quality of strong ink used for printing the PIN&SN number .
- -The PIN numbers and SN are difficult to be removed .
- -The PIN number impossible to be known before scratching the scratch area.
- -The laser or any other material can't pass through the scratch area.
- -Overlap printing.
- -Thermal reactive ink (TRI)printing for PIN.
- -The scratch is not hazard to human hygienic.
- -The scratch off-hot stamp easy to be removed.

Packing:

-50 card in inner /500 cards in middle /5000 cards in outer(or according to storing requirements)

/5 H

set.

الكمية المطلوبة	الصنف	م
2,000,000	كروت انترنت فئة 500	1
1,500,000	كروت انترنت فئة 1000	2
3,500,000	الاجمالي	